

Declaration of Performance refer to EU BauPVO 305/2011

DoP Reference number	BD/G1/4001		
2 Product description	Floor gully Junior with anti-flooding device (type 5, DN 100)		
Product-specification: (Numbers or Specification of product)	Diverse		
4 Intended use	Building protection against backwater		
5 Manufacturer	ACO Passavant GmbH Ulsterstraße 3 D-36269 Philippsthal		
6 Authorised representative	Irrelevant		
Assessment and verification of constancy of performance	System 4		
8 Relevant harmonised standard	EN 13564-1:2002		
9 First year of CE marking	2006		
10 Notified body	Irrelevant		
11 Type test report reference number	Irrelevant		
12 Essential characteristics	Main feature	EN 13564-1	Performance
	Gas tightness	6.4	pass
	Water tightness	6.4	pass
	Effectiveness	6.1,6.4	pass
	Temperature resistance	5	pass
	Mechanical resistance	5.6	pass
	Durability	7	pass
Specific technical documentation (article 37/38)	Installation manual		
14 Other information	_		

The performance of the product according to No. 2 and 3 is conform to the declared performance in No 12. The manufacturer only is responsible for the creation of this declaration of performance according to No. 5. Signed for and on behalf of the manufacturer.

Stadtlengsfeld, 10th May 2013

Peter Fröhlich Managing Director

